



Инструкция по настройке роутера D-Link DIR-300.



Оглавление.


1. Авторизация.....	стр. 3
2. Смена заводского пароля.....	стр.4
3. Настройка Wi-Fi на роутере.....	стр.5-6
4. Настройка подключения к Интернет.....	стр. 7
5. Настройка роутера в режиме AP.....	стр. 8
6. Настройка в режиме роутера.....	стр. 9-14
7. Настройка PPPoE при автоматическом получении локального IP адреса (DHCP).....	стр. 9
8. Настройка PPPoE при статическом локальном IP адресе.....	стр. 10
9. Настройка PPTP (VPN) при автоматическом получении локального IP адреса (DHCP).....	стр. 11
10. Настройка PPTP (VPN) при статическом локальном IP адресе.....	стр. 12
11. NAT при автоматическом получении IP адреса (DHCP).....	стр. 13
12. NAT при статическом IP адресе.....	стр. 14
13. Проверка статуса подключения.....	стр. 15
14. Сохранение/восстановление настроек.....	стр. 16

Авторизация.

Сброс настроек роутера производится путем нажатия и удержания кнопки **Reset** на задней панели роутера.

Для удобства удаленной настройки используйте он-лайн эмулятор **DIR-330** (интерфейсы схожи) - <http://support.dlink.com/Emulators/dir330/112/index.html>

Для того, что бы попасть в веб-интерфейс роутера, необходимо открыть ваш Интернет браузер и в строке адреса набрать <http://192.168.0.1> , User Name admin , Password – оставить пустым (при условии, что роутер имеет заводские настройки, и его IP не менялся).



Смена заводского пароля.

В целях безопасности рекомендуется сменить заводской пароль.

По умолчанию: Логин admin, пароль пустой.

Курьеры-настройщики должны в настройках изменять пароль на Серийный номер, указанный на коробке (S/N). При перенастройке рекомендуется также использовать в качестве пароля на роутер и wi-fi S/N (серийный номер).

В интерфейсе роутера необходимо зайти во вкладку Техническое обслуживание (MAINTENANCE), меню Управление устройством (Device Administration).

В поле **New Password** введите новый пароль.

В поле **Confirm Password** повторите новый пароль.

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04

D-Link

DIR-300 // SETUP ADVANCED MAINTENANCE STATUS HELP

Device Administration

Save and Restore

Firmware Update

DDNS Setting

System Check

Schedules

Log Settings

Logout

ADMINISTRATOR SETTINGS

The 'admin' account can access the management interface. The admin has read/write access and can change passwords. By default there is no password configured. It is highly recommended that you create a password to keep your router secure.

Save Settings Don't Save Settings

ADMIN PASSWORD

Please enter the same password into both boxes, for confirmation.

New Password: [password field] [red arrow]

Confirm Password: [password field] [red arrow]

ADMINISTRATION

Enable Graphical Authentication:

Enable Remote Management:

IP Allowed to Access: [0.0.0.0]

Port: [8080]

Helpful Hints..

- For security reasons, it is recommended that you change the Password for the Administrator account. Be sure to write down the new Passwords to avoid having to reset the router in the event that they are forgotten.
- When enabling Remote Management, you can specify the IP address of the computer on the Internet that you want to have access to your router, or leave it 0.0.0.0 to allow access to any computer on the Internet.

Затем нажмите кнопку **Save Settings**.

После этого, роутер предложит повторно зайти в его настройки.

Настройка Wi-Fi на роутере.

В интерфейсе роутера необходимо зайти во вкладку Установка (SETUP), меню Установка беспроводной сети (Wireless Setup). Кнопка Установка беспроводной сети вручную (Manual Wireless Connection Setup).

The screenshot displays the web interface of a D-Link DIR-300 router. At the top, it shows 'Product Page : DIR-300' and 'Hardware Version : B1 Firmware Version : 2.04'. The D-Link logo is prominently displayed. Below the logo is a navigation bar with tabs for 'DIR-300', 'SETUP', 'ADVANCED', 'MAINTENANCE', 'STATUS', and 'HELP'. The 'SETUP' tab is selected and circled in red. On the left side, there is a vertical menu with options: 'Internet Setup', 'Wireless Setup' (circled in red), 'LAN Setup', 'Time and Date', 'Parental Control', and 'Logout'. The main content area is titled 'WIRELESS CONNECTION' and contains the following text: 'There are 2 ways to setup your wireless connection. You can use the Wireless Connection Setup Wizard or you can manually configure the connection. Please note that changes made in this section will also need to be duplicated on your wireless clients and PCs.' Below this, there are two sections: 'WIRELESS CONNECTION SETUP WIZARD' and 'MANUAL WIRELESS CONNECTION OPTIONS'. The 'WIZARD' section includes a button labeled 'Wireless Connection Setup Wizard' and a note: 'Note: Before launching the wizard, please make sure you have followed all steps outlined in the Quick Installation Guide included in the package.' The 'MANUAL WIRELESS CONNECTION OPTIONS' section includes a button labeled 'Manual Wireless Connection Setup', which is pointed to by a red arrow.

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04

D-Link

DIR-300 // **SETUP** ADVANCED MAINTENANCE STATUS HELP

Internet Setup
Wireless Setup
LAN Setup
Time and Date
Parental Control
Logout

WIRELESS CONNECTION

There are 2 ways to setup your wireless connection. You can use the Wireless Connection Setup Wizard or you can manually configure the connection.

Please note that changes made in this section will also need to be duplicated on your wireless clients and PCs.

WIRELESS CONNECTION SETUP WIZARD

If you would like to utilize our easy to use Web-based Wizard to assist you in connecting your new D-Link Systems Wireless Router to the Internet, click on the button below.

Wireless Connection Setup Wizard

Note: Before launching the wizard, please make sure you have followed all steps outlined in the Quick Installation Guide included in the package.

MANUAL WIRELESS CONNECTION OPTIONS

If you would like to configure the Internet settings of your new D-Link Router manually, then click on the button below.

Manual Wireless Connection Setup

Helpful Hints..

- If you are new to wireless networking and have never configured a wireless router before, click on **Wireless Connection Setup Wizard** and the router will guide you through a few simple steps to get your wireless network up and running.
- If you consider yourself an advanced user and have configured a wireless router before, click **Manual Wireless Connection Setup** to input all the settings manually.

Далее

1. В разделе «**WI-FI PROTECTED SETUP**» с пункта Enable галочку лучше снять, поскольку не все беспроводные адаптеры поддерживают технологию Wi-Fi Protected Setup."
2. Указать идентификатор (SSID) Вашей беспроводной домашней сети (**NETBYNET-980-25-00**) в поле «**Wireless Network Name**» (по умолчанию dlink).
3. Выбрать беспроводной канал, любой канал из выпадающего списка «**Wireless Channel**».
4. Выбрать режим безопасности беспроводной сети.
5. В выпадающем списке «**Security Mode**» выбрать «**Enable WPA/WPA2 Wireless Security (enhanced)**» — это наиболее безопасный способ защитить Вашу беспроводную сеть.
6. «**Cipher Type > TKIP**».
7. «**PSK/EAP > PSK**».
8. В поле «**Network key**» Вы должны ввести любой набор цифр, длиной от 8 до 63. Их также **необходимо запомнить**, чтобы Вы могли указать их при подключении к сети. Рекомендуется использовать в качестве ключа серийный номер устройства (указан на коробке, в виде S/N #####).
9. Нажимаем на кнопку «**Save Settings**», чтобы применить и сохранить настройки.

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04

D-Link

DIR-300 // SETUP ADVANCED MAINTENANCE STATUS HELP

Internet Setup
Wireless Setup
LAN Setup
Time and Date
Parental Control
Logout

WIRELESS NETWORK

Use this section to configure the wireless settings for your D-Link router. Please note that changes made in this section may also need to be duplicated on your wireless client.

To protect your privacy you can configure wireless security features. This device supports three wireless security modes including: WEP, WPA and WPA2.

Save Settings Don't Save Settings

WI-FI PROTECTED SETUP (ALSO CALLED WCN 2.0 IN WINDOWS VISTA)

Enable :

Current PIN : 2079 401111

Generate New PIN Reset PIN to Default

Wi-Fi Protected Status : Enabled / Configured

Reset to Unconfigured

Add Wireless Device with WPS

WIRELESS NETWORK SETTINGS

Enable Wireless : Always

Wireless Network Name : dlink (Also called the SSID)

Enable Auto Channel Selection :

Wireless Channel : 4

Transmission Rate : Best (automatic) (Mbit/s)

WMM Enable : (Wireless QoS)

Enable Hidden Wireless : (Also called the SSID Broadcast)

WIRELESS SECURITY MODE

Security Mode : Enable WPA/WPA2 Wireless Security (enhanced)

WPA/WPA2

WPA/WPA2 requires stations to use high grade encryption and authentication.

Cipher Type : TKIP

PSK / EAP : PSK

Network Key : Пароль для подключения к роутеру
(8~63 ASCII or 64 HEX)

Save Settings Don't Save Settings

Helpful Hints..

- Wi-Fi Protected Setup provides a more intuitive way of setting up wireless security between the router and the wireless client. Make sure the wireless card supports this feature or uses a certified Windows Vista driver in order to take advantage of this feature.
- Changing your Wireless Network Name is the first step in securing your wireless network. We recommend that you change it to a familiar name that does not contain any personal information.
- Enabling Hidden Mode is another way to secure your network. With this option enabled, no wireless clients will be able to see your wireless network when they perform a scan to see what's available. In order for your wireless devices to connect to your router, you will need to manually enter the Wireless Network Name on each device.
- If you have enabled Wireless Security, make sure you write down the WEP Key or Passphrase that you have configured. You will need to enter this information on any wireless device that you connect to your wireless network.

[More...](#)

Настройка подключения к Интернет.

Нажимаем кнопку **Manual Internet Connection Setup**

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04



DIR-300	SETUP	ADVANCED	MAINTENANCE	STATUS	HELP
Internet Setup	INTERNET CONNECTION <p>If you are configuring the device for the first time, we recommend that you click on the Internet Connection Setup Wizard button and follow the instructions on the screen. If you wish to modify or configure the device settings manually, click the Manual Internet Connection Setup button.</p>				Helpful Hints.. <ul style="list-style-type: none">• If you are new to networking and have never configured a router before, click on Internet Connection Setup Wizard and the router will guide you through a few simple steps to get your network up and running.• If you consider yourself an advanced user and have configured a router before, click Manual Internet Connection Setup to input all the settings manually.
Wireless Setup	INTERNET CONNECTION SETUP WIZARD <p>If you would like to utilize our easy to use Web-based Wizard to assist you in connecting your new D-Link Systems Router to the Internet, click on the button below.</p> <p style="text-align: center;"><input type="button" value="Internet Connection Setup Wizard"/></p> <p>Note: Before launching the wizard, please make sure you have followed all steps outlined in the Quick Installation Guide included in the package.</p>				
LAN Setup	MANUAL INTERNET CONNECTION OPTIONS <p>If you would like to configure the Internet settings of your new D-Link Router manually, then click on the button below.</p> <p style="text-align: center;"><input type="button" value="Manual Internet Connection Setup"/></p>				
Time and Date					
Parental Control					
Logout					

Настройка роутера в режиме Access Point.

Режим бридж (англ. мост). в этом случае Вам, для выхода в сеть, будет необходимо настраивать подключение к Интернет на компьютере.

Перед тем, как перевести роутер в режим Access Point Mode **обязательно** произведите настройки роутера (wi-fi и т.д.). После смены режима, управление невозможно.

Для изменения режима необходимо в Access Point Mode поставить галочку на Enable Access Point Mode. Затем нажать кнопку Save Settings.

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04

D-Link

DIR-300 // SETUP ADVANCED MAINTENANCE STATUS HELP

Internet Setup
Wireless Setup
LAN Setup
Time and Date
Parental Control
Logout

INTERNET CONNECTION

Use this section to configure your Internet Connection method. There are several connection methods to choose from: Static IP, DHCP, PPPoE, PPTP, L2TP, Russian PPTP(Dual Access) and Russian PPPoE(Dual Access). If you are unsure of your connection method, please contact your Internet Service Provider.

Note: If using the PPPoE option, you will need to remove or disable any PPPoE client software on your computers.

Save Settings Don't Save Settings

ACCESS POINT MODE

Use this to disable NAT on the router and turn it into an Access Point.

Enable Access Point Mode

Helpful Hints..

- **Internet Connection:** When configuring the router to access the Internet, be sure to choose the correct **Internet Connection Type** from the drop down menu. If you are unsure of which option to choose, please contact your **Internet Service Provider (ISP)**.
- **Support:** If you are having trouble accessing the Internet through the router, double check any settings you have entered on this

Далее, все настройки необходимо производить на ПК. В зависимости от типа подключения, необходимо на компьютере создать PPPoE/VPN – подключение.

Мануалы по настройке подключения на компьютере - <http://help.netbynet.ru/>

Настройка в режиме роутера.

Настройка PPPoE при автоматическом получении локального IP адреса (DHCP).

1. My Internet Connection is: **Russian PPPoE (Dual Access)**
2. **User Name:** Ваш логин из договора
3. **Password:** Ваш пароль из договора
4. **Confirm Password:** повтор пароля
5. Нажимаем кнопку **Clone MAC Address**
6. **Connect mode select** – режим установки соединения "**Always**" для постоянного подключения.
7. Сохраняем настройки кнопкой **Save Settings** и ждем пока роутер перезагрузится.

ACCESS POINT MODE

Use this to disable NAT on the router and turn it into an Access Point.

Enable Access Point Mode

INTERNET CONNECTION TYPE

Choose the mode to be used by the router to connect to the Internet.

My Internet Connection is :

RUSSIA PPOE (DUAL ACCESS)

Enter the information provided by your Internet Service Provider (ISP).

Dynamic PPPoE Static PPPoE

User Name : MPPE :

Password :

Confirm Password :

Service Name : (optional)

IP Address :

MAC Address :  (optional)

Receive DNS from ISP Enter DNS Manually

Primary DNS Address :

Secondary DNS Address : (optional)

Maximum Idle Time : Minutes

MTU : 

Connect mode select :

Manual Connect-on demand

WAN PHYSICAL SETTINGS

Dynamic IP Static IP

IP Address :

Subnet Mask :

Gateway : (optional)

Primary DNS Address : (optional)

Secondary DNS Address : (optional)



Настройка PPPoE при статическом локальном IP адресе.

1. My Internet Connection is: **Russian PPPoE (Dual Access)**
2. **User Name:** Ваш логин из договора
3. **Password:** Ваш пароль из договора
4. **Confirm Password:** повтор пароля
5. Нажимаем кнопку **Clone MAC Address**
6. **Connect mode select** – режим установки соединения "**Always**" для постоянного подключения.
7. Выбираете пункт **Static IP**

1. **IP Address** - IP Address выданный вам провайдером.
2. **Subnet Mask** – маска подсети провайдера.
3. **Gateway** – шлюз провайдера.
4. **Primary DNS Address** – предпочитаемый DNS Server провайдера (212.1.224.6).
5. **Secondary DNS Address** – альтернативный DNS server провайдера (212.1.230.111).

Сохраняете настройки нажатием клавиши **Save Settings**.

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04

D-Link

DIR-300 // **SETUP** ADVANCED MAINTENANCE STATUS HELP

Internet Setup
Wireless Setup
LAN Setup
Time and Date
Parental Control
Logout

INTERNET CONNECTION

Use this section to configure your Internet Connection method. There are several connection methods to choose from: Static IP, DHCP, PPPoE, PPTP, L2TP, Russian PPTP(Dual Access) and Russian PPPoE(Dual Access). If you are unsure of your connection method, please contact your Internet Service Provider.

Note: If using the PPPoE option, you will need to remove or disable any PPPoE client software on your computers.

Save Settings Don't Save Settings

ACCESS POINT MODE

Use this to disable NAT on the router and turn it into an Access Point.

Enable Access Point Mode

INTERNET CONNECTION TYPE

Choose the mode to be used by the router to connect to the Internet.

My Internet Connection is : Russia PPPoE (Dual Access) ←

RUSSIA PPPOE (DUAL ACCESS)

Enter the information provided by your Internet Service Provider (ISP).

Dynamic PPPoE Static PPPoE

User Name : Ваш логин MPPE :

Password : ●●●●●●●● ←

Confirm Password : ●●●●●●●● ←

Service Name : (optional)

IP Address : (optional)

MAC Address : - - - - - (optional)

←

Receive DNS from ISP Enter DNS Manually

Primary DNS Address : (optional)

Secondary DNS Address : (optional)

Maximum Idle Time : 5 Minutes

MTU : 1492

Connect mode select : Always Manual Connect-on demand ←

WAN PHYSICAL SETTINGS

Dynamic IP Static IP ←

IP Address : Локальный IP

Subnet Mask : Маска подсети

Gateway : Шлюз (optional)

Primary DNS Address : 212.1.224.6 (optional)

Secondary DNS Address : 212.1.230.111 (optional)

Save Settings Don't Save Settings

Helpful Hints..

- **Internet Connection:** When configuring the router to access the Internet, be sure to choose the correct **Internet Connection Type** from the drop down menu. If you are unsure of which option to choose, please contact your **Internet Service Provider (ISP)**.
- **Support:** If you are having trouble accessing the Internet through the router, double check any settings you have entered on this page and verify them with your ISP if needed.

[More...](#)

Настройка PPTP (VPN) при автоматическом получении локального IP адреса (DHCP).

В поле **My Internet Connection is:** выберите **Russia PPTP Dual Access**.

1. Выберите подключение с динамическим назначением адреса провайдером Dynamic IP.
2. Нажимаете кнопку **Clone MAC Address**.
3. **Server IP/Name** – IP/Имя сервера провайдера.
4. **PPTP Account** – имя пользователя для авторизации в сети провайдера.
5. **PPTP Password** – пароль для авторизации в сети провайдера.
- PPTP Retype Password** – повторите пароль для авторизации в сети провайдера.
6. Значение **MTU** – **1372**
7. **Connect mode select** - режим установки соединения. Выберите "Always" для постоянного подключения. Сохраняете настройки нажатием клавиши **Save Settings**.

DIR-300	SETUP	ADVANCED	MAINTENANCE	STATUS	HELP
Internet Setup Wireless Setup LAN Setup Time and Date Parental Control Logout	<h3>INTERNET CONNECTION</h3> <p>Use this section to configure your Internet Connection method. There are several connection methods to choose from: Static IP, DHCP, PPPoE, PPTP, L2TP, Russian PPTP(Dual Access) and Russian PPPoE(Dual Access). If you are unsure of your connection method, please contact your Internet Service Provider.</p> <p>Note: If using the PPPoE option, you will need to remove or disable any PPPoE client software on your computers.</p> <p><input type="button" value="Save Settings"/> <input type="button" value="Don't Save Settings"/></p> <h3>ACCESS POINT MODE</h3> <p>Use this to disable NAT on the router and turn it into an Access Point.</p> <p><input type="checkbox"/> Enable Access Point Mode</p> <h3>INTERNET CONNECTION TYPE</h3> <p>Choose the mode to be used by the router to connect to the Internet.</p> <p>My Internet Connection is : <input type="text" value="Russia PPTP (Dual Access)"/> </p> <h3>RUSSIA PPTP (DUAL ACCESS)</h3> <p>Enter the information provided by your Internet Service Provider (ISP).</p> <p><input checked="" type="radio"/> Dynamic IP <input type="radio"/> Static IP</p> <p>IP Address : <input type="text"/> (assigned by your ISP)</p> <p>Subnet Mask : <input type="text"/></p> <p>Gateway : <input type="text"/></p> <p>DNS : <input type="text"/></p> <p>MAC Address : <input type="text"/> - <input type="text"/> (optional)</p> <p><input type="button" value="Clone MAC Address"/> </p> <p>Server IP/Name : <input type="text" value="ppp.lan"/> </p> <p>PPTP Account : <input type="text" value="Логин на Интернет"/> MPPE : <input type="checkbox"/></p> <p>PPTP Password : <input type="text" value="Пароль на Интернет"/></p> <p>PPTP Confirm Password : <input type="text" value="Пароль на Интернет"/></p> <p>Maximum Idle Time : <input type="text" value="5"/> Minutes</p> <p>MTU : <input type="text" value="1372"/> </p> <p>Connect mode select : <input checked="" type="radio"/> Always <input type="radio"/> Manual <input type="radio"/> Connect-on demand <input type="button" value="New Schedule"/></p> <p><input type="button" value="Save Settings"/> <input type="button" value="Don't Save Settings"/></p>				Helpful Hints.. <ul style="list-style-type: none">• Internet Connection: When configuring the router to access the Internet, be sure to choose the correct Internet Connection Type from the drop down menu. If you are unsure of which option to choose, please contact your Internet Service Provider (ISP).• Support: If you are having trouble accessing the Internet through the router, double check any settings you have entered on this page and verify them with your ISP if needed. More...

Настройка PPTP (VPN) при статическом локальном IP адресе.

В поле **My Internet Connection is:** выберите **Russia PPTP Dual Access**.

1. Выберите подключение с статическим назначением адреса провайдером **Static IP**.
2. **IP Address** - IP Address выданный Вам провайдером.
3. **Subnet Mask** – маска подсети провайдера.
4. **Gateway** – шлюз провайдера.
5. **DNS** – DNS Server провайдера (**212.1.224.6**).
6. **MAC Address** – нажимаете кнопку **Clone MAC Address**.
7. **Server IP/Name** –Имя сервера провайдера (**ppp.lan**).
8. **PPTP Account** – имя пользователя для авторизации в сети провайдера.
9. **PPTP Password** – пароль для авторизации в сети провайдера.
10. Значение **MTU** - **1372**
- PPTP Retype Password** – повторите пароль для авторизации в сети провайдера.
11. **Connect mode select** - режим установки соединения. Выберите "**Always**" для постоянного подключения. Сохраняете настройки нажатием клавиши **Save Settings**.

The screenshot shows the configuration interface for a DIR-300 router. The 'SETUP' tab is selected, and the 'Internet Setup' sub-tab is active. The 'INTERNET CONNECTION' section provides instructions and a 'Note' about PPPoE. The 'ACCESS POINT MODE' section has an unchecked checkbox for 'Enable Access Point Mode'. The 'INTERNET CONNECTION TYPE' section shows 'My Internet Connection is' set to 'Russia PPTP (Dual Access)'. The 'RUSSIA PPTP (DUAL ACCESS)' section is expanded, showing options for 'Dynamic IP' and 'Static IP' (selected). Fields for 'IP Address' (Local IP), 'Subnet Mask' (Subnet mask), 'Gateway' (Gateway), 'DNS' (212.1.224.6), 'MAC Address' (Clone MAC Address), 'Server IP/Name' (ppp.lan), 'PPTP Account' (Login on Internet), 'PPTP Password' (Password on Internet), 'PPTP Confirm Password' (Password on Internet), 'Maximum Idle Time' (5 Minutes), and 'MTU' (1372) are visible. The 'Connect mode select' is set to 'Always'. 'Save Settings' and 'Don't Save Settings' buttons are at the bottom.

NAT при автоматическом получении IP адреса (DHCP).

В поле **My Internet Connection is:** из списка выберите **Static IP**.

1. Нажимаете кнопку **Clone MAC Address**.
2. Сохраняете настройки нажатием клавиши **Save Settings**.

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04

D-Link

DIR-300 // **SETUP** ADVANCED MAINTENANCE STATUS HELP

Internet Setup (circled)
Wireless Setup
LAN Setup
Time and Date
Parental Control
Logout

INTERNET CONNECTION

Use this section to configure your Internet Connection method. There are several connection methods to choose from: Static IP, DHCP, PPPoE, PPTP, L2TP, Russian PPTP(Dual Access) and Russian PPPoE(Dual Access). If you are unsure of your connection method, please contact your Internet Service Provider.

Note: If using the PPPoE option, you will need to remove or disable any PPPoE client software on your computers.

ACCESS POINT MODE

Use this to disable NAT on the router and turn it into an Access Point.

Enable Access Point Mode

INTERNET CONNECTION TYPE

Choose the mode to be used by the router to connect to the Internet.

My Internet Connection is : (circled with red arrow)

DYNAMIC IP (DHCP) INTERNET CONNECTION TYPE

Use this Internet connection type if your Internet Service Provider (ISP) didn't provide you with IP Address information and/or a username and password.

Host Name :

MAC Address : (circled with red arrow) (optional)

Primary DNS Address :

Secondary DNS Address : (optional)

MTU : (circled with red arrow)

Helpful Hints..

- **Internet Connection:** When configuring the router to access the Internet, be sure to choose the correct **Internet Connection Type** from the drop down menu. If you are unsure of which option to choose, please contact your **Internet Service Provider (ISP)**.
- **Support:** If you are having trouble accessing the Internet through the router, double check any settings you have entered on this page and verify them with your ISP if needed.

[More...](#)

NAT при статическом IP адресе.

В поле **My Internet Connection is:** выберите **Static IP**.

1. **IP Address** - IP Address выданный Вам провайдером.
3. **Subnet Mask** – маска подсети провайдера.
4. **Gateway** – шлюз провайдера.
5. **MAC Address** – нажимаете кнопку **Clone MAC Address**.
6. **Primary DNS Address** – предпочитаемый DNS Server провайдера (**212.1.224.6**).
7. **Secondary DNS Address** – альтернативный DNS server провайдера (**212.1.230.111**).
8. Значение **MTU** – **1472**.
9. Сохраняете настройки нажатием клавиши **Save Settings**.

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04

D-Link

DIR-300 // **SETUP** ADVANCED MAINTENANCE STATUS HELP

Internet Setup (circled)
Wireless Setup
LAN Setup
Time and Date
Parental Control
Logout

INTERNET CONNECTION

Use this section to configure your Internet Connection method. There are several connection methods to choose from: Static IP, DHCP, PPPoE, PPTP, L2TP, Russian PPTP(Dual Access) and Russian PPPoE(Dual Access). If you are unsure of your connection method, please contact your Internet Service Provider.

Note: If using the PPPoE option, you will need to remove or disable any PPPoE client software on your computers.

Save Settings Don't Save Settings

ACCESS POINT MODE

Use this to disable NAT on the router and turn it into an Access Point.

Enable Access Point Mode

INTERNET CONNECTION TYPE

Choose the mode to be used by the router to connect to the Internet.

My Internet Connection is : **Static IP** (dropdown menu with red arrow)

STATIC IP ADDRESS INTERNET CONNECTION TYPE

Enter the static IP address information provided by your Internet Service Provider (ISP).

IP Address : **Локальный IP** (assigned by your ISP) (dropdown menu with red arrow)

Subnet Mask : **Маска** (dropdown menu with red arrow)

ISP Gateway Address : **Шлюз** (dropdown menu with red arrow)

MAC Address : - - - - - (optional)

Clone MAC Address (button with red arrow)

Primary DNS Address : **212.1.224.6** (dropdown menu with red arrow)

Secondary DNS Address : **212.1.230.111** (optional) (dropdown menu with red arrow)

MTU : **1472** (dropdown menu with red arrow)

Save Settings Don't Save Settings

Helpful Hints..

- **Internet Connection:** When configuring the router to access the Internet, be sure to choose the correct **Internet Connection Type** from the drop down menu. If you are unsure of which option to choose, please contact your **Internet Service Provider (ISP)**.
- **Support:** If you are having trouble accessing the Internet through the router, double check any settings you have entered on this page and verify them with your ISP if needed.

[More...](#)

Проверка статуса подключения к Интернет.

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04



DIR-300	SETUP	ADVANCED	MAINTENANCE	STATUS	HELP
----------------	--------------	-----------------	--------------------	---------------	-------------

Device Info	DEVICE INFORMATION All of your Internet and network connection details are displayed on this page. The firmware version is also displayed here. Firmware Version : 2.04 , Tue 02 Mar 2010	Helpful Hints.. <ul style="list-style-type: none">All of your LAN, Internet and WIRELESS 802.11 N connection details are displayed here.
Log		
Statistics		
Active Session		
Wireless		
Logout		

LAN
MAC Address : f0:7d:68:81:00:10 IP Address : 192.168.0.1 Subnet Mask : 255.255.255.0 DHCP Server : Enabled
INTERNET
MAC Address : 48:5B:39:5F:00:0A Connection : DHCP client Connected DHCP Renew DHCP Release IP Address : 10.0.0.142 Subnet Mask : 255.255.255.192 Default Gateway : 10.0.0.129 DNS : 212.1.224.34 212.1.230.111
WIRELESS 802.11 N
SSID : dlink Channel : 4 Encryption : TKIP

Сохранение/восстановление настроек роутера.

После проведения настройки, рекомендуется сохранить их, чтобы в случае возникновения проблем, можно было их восстановить. Для этого необходимо зайти во вкладку **Техническое обслуживание (MAINTENANCE)**, меню **Сохранение и Восстановление (Save and Restore)**.

- Для сохранения текущих настроек роутера необходимо нажать кнопку **Save** (параметр Save Settings To Local Hard Drive). Файл с настройками будет сохранен в указанное место на жёстком диске.

- Для восстановления настроек из файла, необходимо нажать кнопку **Обзор**, указать путь к файлу с настройками, затем нажать кнопку **Upload Settings**.

Внимание! Нажатие кнопки **Restore Device** приведет к восстановлению заводских настроек!

Product Page : DIR-300 Hardware Version : B1 Firmware Version : 2.04

D-Link

DIR-300 // SETUP ADVANCED MAINTENANCE STATUS HELP

Device Administration

Save and Restore

Firmware Update

DDNS Setting

System Check

Schedules

Log Settings

Logout

SAVE AND RESTORE SETTINGS

Once the router is configured you can save the configuration settings to a configuration file on your hard drive. You also have the option to load configuration settings, or restore the factory default settings.

сохранение

SAVE AND RESTORE SETTINGS

Save Settings To Local Hard Drive : Save

Load Settings From Local Hard Drive : Обзор... Upload Settings

Restore To Factory Default Settings : Restore Device

Clear Language Pack : Clear

Helpful Hints..

- Once your router is configured the way you want it, you can save these settings to a configuration file that can later be loaded in the event that the router's default settings are restored. To do this, click the Save button next to where it says Save Settings to Local Hard Drive.